### **UNCLASSIFIED**

UNCLASSIFIED					
AD NUMBER					
AD077722					
LIMITATION CHANGES					
TO:					
Approved for public release; distribution is unlimited.					
EDOM.					
FROM: Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; JUL 1955. Other requests shall be referred to Ballistic Research Lab., Aaberdeen Proving Ground, MD.					
Research Last, hascracen froving Ground, hs.					
AUTHORITY					
USAARDCOM ltr dtd 9 Aug 1983					



### Armed Services Technical Information Agency

Reproduced by
DOCUMENT SERVICE GENTER
KNOTT BUILDING, DAYTON, 2, OHIO

This document is the property of the United States
Government. It is furnished for the duration of the contract and
shall be returned when no longer required, or upon
recall by ASTIA to the following address:
Armed Services Technical Information Agency, Document Service Center,
Knott Building, Dayton 2, Ohio.

NOTICE. WHEN GOVERNMENT OR OTHER DRAWINGS, SPECIFICATIONS OR OTHER DATA ARE USED FOR ANY PURPOSE OTHER THAN IN CONNECTION WITH A DEFINITELY RELATED SOVERNMENT PROCUREMENT OPERATION, THE U.S. GOVERNMENT THEREBY INCURS TO RESPONSIBILITY, NOR ANY OBLIGATION WHATSON /ER; AND THE FACT THAT THE SOVERNMENT MAY HAVE FORMULATED, FURNISHED, OR IN ANY WAY SUPPLIED THE AID DRAWINGS, SPECIFICATIONS, OR OTHER DATA IN NOT TO BE REGARDED BY PLICATION OR OTHERWISE AS IN ANY MANNER LICENSING THE HOLDER OR ANY OTHER RESON OR CORPORATION, OR CONVEYING ANY RIGHT'S OR PERMISSION TO MANUFACTURE, SEE OR SELL ANY PATENTED INVENTION THAT MAY IN ANY WAY BE RELATED THERETO.

## INCLASSIFIED

FILE CODY,

FC

MEMORANDUM REPORT No. 913

A Spectrograph With Space Time Resolution And Its
Application To The Study Of
Exploding Tungsten Wire

GEORGE E. HAUVER

DEPARTMENT OF THE ARMY PROJECT No. 580304009
ORDNANCE RESEARCH AND DEVELOPMENT PROJECT No. TB3-0134

BALLISTIC RESEARCH LABORATORIES



ABERDEEN PROVING GROUND, MARYLAND

### BALLISTIC RESEARCH LABORATORIES

MEMORANDUM REPORT NO. 913

July 1955

A SPECTROGRAPH WITH SPACE - TIME RESOLUTION AND ITS APPLICATION TO THE STUDY OF EXPLODING TUNGSTEN WIRE

George E. Hauver

Department of the Army Project No. 5B0304009. Ordnance Research and Development Project No. TB3-0134

ABERDEEN PROVING GROUND, MARYLAND

# BLANK PAGES IN THIS DOCUMENT WERE NOT FILMED

### BALLISTIC RESEARCH LABORATORIES

### MEMORANDUM REPORT NO. 913

GEHauver/arc Aberdeen Proving Ground, Md. July 1955

A SPECTROGRAPH WITH SPACE - TIME RESOLUTION AND ITS APPLICATION TO THE STUDY OF EXPLODING TUNGSTEN WIRE

### ABSTRACT

A high-speed framing camera has been adapted for spectrographic studies. With this instrument it is possible to study simultaneously spectral characteristics as a function of both time and position in object space. Time-space resolved spectrograms of exploding tungsten wire were obtained, and the results are included in this report.

### INSTRUMENTATION

A Beckman and Whitley Model 189 framing camera has been adapted for spectrographic studies. Optically, this camera is similar to the Bowen 76-lens camera and to the framing camera described by Brixner<sup>2</sup>. The objective lens forms an image on a rotating mirror which directs the reflected beam into a series of relay lenses, in sequence. The relay lenses form effectively still images along the film plane. In its present application with a 5000 RPS mirror-turbine assembly, the camera records at a rate of about 1,200,000 frames per second with effective exposure times of approximately 0.2 microsecond.

For spectrographic studies, the original lens was removed and a 20-inch focal length Bausch and Lomb Tessar in conjunction with a plane diffraction grating was substituted, as shown in Figure 1. The grating was a 7500 lines per inch Wood's replica which had the useful property of strongly favoring one of the first order spectra. A length of approximately two inches of the grating was used. The objective lens was used at unit magnification, and imaged the favored first order of the dispersed beam at the rotating mirror. For a given setting of the optical system, approximately 750 angstroms of the spectrum can be observed. Thus, the visible spectrum can be covered in about four separate steps.

### OBSERVATIONS ON EXPLODING TUNGSTEN WIRES

The framing camera spectrograph has been used to observe exploding tungsten wires. (3) The circuit shown in Figure 2 was used to explode 13.5 millimeter lengths of 0.002 inch diameter tungsten wire. As indicated in Figure 2, a 5.0 microfarad condenser was used, and was charged to 9.5 kilovolts. The discharge was triggered with a 5022 hydrogen Thyratron in order to synchronize the event with the camera.

A normal framing camera record of an exploding tungsten wire is shown in Figure 3. For this record, the light from the camera was attenuated by a neutral density filter with an attenuation factor of 100. Two concentric, expanding regions of luminosity are observed, and are separated by a narrow, intensely bright band. The boundary of the outer region initially expands at a rate of 2.3 millimeters per microsecond. This expansion velocity decreases to 0.85 millimeters per microsecond in 3.0 microseconds. The luminosity in this region disappears in approximately 8.0 microseconds on both framing and streak camera records. The current pulse through the exploding wire has also been measured to have a half period of 8.0 microseconds. The inner region, bounded by the bright band of luminosity, expands at an initial rate of 0.77 millimete. per microsecond, and the luminosity in this region persists after the light from the outer luminous region has disappeared. The outer region of luminosity is preceded by a non-luminous or faintly luminous shock which was not of sufficient intensity to be seen in the framing camera spectrogram. This shock also does not show on the framing camera record in Figure 3, but

could be observed on streak camera records. A streak record showing the shock (indicated by arrows) appears in Figure 4.

For spectrographic studies with the framing camera, the wire was placed perpendicular to the spectrograph slit. A slit width of 0.005 inch was used. A high pressure mercury arc served to provide the reference spectrum. A framing camera spectrogram of exploding tungsten wire appears in Figure 5, and frames 4 and 10 of this spectrogram also appears in Figure 6. Frame 4 is characteristic of the early spectra. The intensely bright boundary between the two luminous regions observed in Figure 3 is shown to emit a strong continuum. The inner region appears to have a weak continuous background with a few broadened lines superimposed. The spectral lines in Frame 4 which can be associated with the inner region are:

```
W 4302
W 4294 ---- broadened, unresolved
W 4269.4 ---- broadened, unresolved
W 4008.8
Ca (?) 3953
```

The outer region seen in frame 4 also shows broad lines. The measured wavelengths of these lines correspond to those of nitrogen and oxygen in the spark spectrum of air. The lines are so broad and poorly defined, that the weaker ones which populate this spectral region may be responsible for what appears to be a weak continuum. The nitrogen and oxygen lines located in the spectral region from 3900 to 4700 angstroms, shown in Figure 6a, are listed in Table 1 along with those found in the region from 5000 to 5950 angstroms. There was no evidence of molecular spectra due to either No or Oo.

Table 1.	Identified	Spectral	Lines	of	Nitrogen	and	0xygen

		Brackets	denote	wavelengths	which ar	e unres	olved
N	3919.1 3955.9			0 4317.1 0 4319.6			5001.4 5005.2
	3995.0			0 4414.9			5045.1
	4035.0			0 4418.Q] N 4447.0		N	5175.9 5495.7
0	4069.9 4072.2			N 4601.5 N 4607.1		N	5535.2 5666.6 5679.5
	4075.9			N 4613.8		N	5710.7
N	4119.3 4176.2 42 <b>36.</b> 9			N 4621.4 N 4630.5 N 4643.1			5 <b>9</b> 31.8 5 <b>9</b> 41.9

In frame 10 (See Figure 6b), the lines of nitrogen and oxygen have disappeared, leaving only the luminosity which had been associated with the inner region. This appears to consist of lines superimposed on a weak continuum. Tungsten lines are identified throughout this spectrum, and most of them are labeled in Figure 6b. Most of these lines appear somewhat broadened and poorly defined. In many cases, the identified lines are due to two or more unresolved wavelengths in the tungsten spectrum. Table 2 lists the lines which were identified.

Table	2.	Lines	identi;	ied	in the	spectrum	shown :	in Fi	gure	6b.
	Br	ackets	denote	wave	length	which a	e unre	ROJA	ed.	
W 4306.9 W 4306.9 W 4302.1 W 4294.6		•		W	4241.4 4240.1 4204.4 4203.8			w w	4008 3980 3965 3964	.6. .1]
W 4294.1] W 4269.8 W 4269.4 W 4268.1 W 4266.5 W 4263.3				W W	4168.7 4137.5 4136.4 4102.7 4074.4	1		W W W	3953 3952 3952 3952 3951	·9 ·5 ·3 ·9

### DISCUSSION

Time-resolving power is defined as the smallest time-difference that can be measured. For the framing camera which has been described, the smallest measurable time-difference is the time between mid-point of successive exposures. However, there is some uncertainty about the time at which an event occurs, since each framing camera exposure is an integrated picture of what occurs during a time interval of approximately 0.2 microsecond. Space-time resolved spectrograms, therefore, do not provide continuous time coverage or the degree of time resolution that can be obtained with streak-type cameras. However, the added feature of space resolution in many cases makes it possible to obtain much additional information from a single record, and also brings out features which might not be evident in spectrograms with time resolution alone. The observations on a special case of an exploding wire indicate the information that may be obtained from a single space-time resolved spectrogram. For spectrographic studies, streak and framing cameras would be utilized best when information from one supplements that obtained with the other.

GEORGE E. HAUVER

### REFERENCES

- 1. J. S. Stanton and M. D. Blatt, "The Bowen 76-Lens Camera", NAVORD Report No. 1033 (NOTS Report No. 152), U. S. Naval Ordnance Test Station, Inyokern, California, 17 September 1948.
- 2. B. Brixner, "A High-Speed Rotating Mirror Frame Camera", J. of the Society of Motion Picture and Television Engineers 59, 503-511, December 1952.
- G. Hauver and L. Zernow, "Ultra-High Speed Cine-Microscopy & Time Resolved Spectroscopy", Bull. Am. Phys. Soc. 30 No 3, April 1955.




Figure 1. Framing Camera Spectrograph










The above streak record has been retouched to clearly show the faintly luminous sheek.

Figure 4. Streak Camera Record of Exploding Tungsten Wiro. Time is directed from loft to right, and the chock is indicated by arrows.



Tigure 5. Framing Tamera Spectrogram of Exploding Tangeten Wire




Figure 6b. Frame 10 of Figure 5.

### DISTRIBUTION LIST

No. of Copies	Organization	No. of Copies	Organization
	Chief of Ordnance Department of the Army Washington 25, D. C.	2	Commander Naval Proving Ground Dahlgren, Virginia
	Attn: ORDTB - Bal Sec	1	Commanding Officer and Director Naval Research Laboratory Washington 25, D. C.
10	British Joint Services Mission 1800 K Street, N. W. Washington 6, D. C.	5	Attn: Technical Information Div. Director
	Attn: Mr. John Izzard, Reports Officer  A.R.E 3 cys Of Interest To: W. E. Soper H. J. James J. Lyall		Armed Services Technical Information Agency Documents Service Center Knott Building Dayton 2, Ohio Attn: DSC - SA
8	Canadian Army Staff 2450 Massachusetts Ave., N.W.	1	Reference Department Technical Information Division Library of Congress
	Washington 8, D. C. Of Interest To; R. F. Wilkinson Edward Greenwood W. B. McKay Major J. M. Seldon Mr. R. W. Foster Dr. G. V. Ball Dr. A. L. Wright	2	Washington 25, D. C. Attn: Dr. Clement R. Brown, Head, Bibliography Section  Bureau of Mines 4800 Forbes Street Pittsburgh 13, Pennsylvania Attn: Chief, Explosive and Physical Sciences Div.
3	Chief, Bureau of Ordnance	1	Los Alamos Scientific Laboratory
	Department of the Navy Washington 25, D. C. Attn: Re3 Of Interest To: Re2c - Mr. J. S. McCorkle	1	P. O. Box 1663 Los Alamos, New Mexico Of Interest To: D. P. MacDougall National Advisory Committee for Aeronautics
3	Commander Naval Ordnance Laboratory White Oak Silver Spring 19, Maryland Of Interest To: Dr. S. J. Ja	icobs	Ames Aeronautical Laboratory Moffett Field, California Of Interest To: Dr. A. C. Charters U. S. Atomic Energy Commission
2	Commander Naval Ordnance Test Station China Lake, California Attn: Technical Library	•	Sandia Corporation P. O. Box 5900 Albuquerquë, New Mexico Of Interest To: Dr. George W. Anderson, Div. 5133

No. of		Ma as	
	Organization	No. of	Omenné so til on
Copies	OI gail 2a cion	Copies	Crganization
2	Commanding Officer Detroit Arsenal Center Line, Michigan Of Interest To:	1	Commanding Officer Engineering Research and Development Laboratory Fort Belvoir, Virginia
	Mr. C. B. Salter		Attn: Technical Intelligence Br.
2 •	Commanding Officer Diamond Ordnance Fuze Labs.	1	Arthur D. Little, Inc. 30 Memorial Drive
	Connecticut Ave. At Van Ness	St., N.W.	
	Washington 25, D. C. Attn: Ordnance Development I	•	Attn: Dr. W. C. Lothrop
		2	Aerojet-General Corporation
3	Commanding General		Azusa, California
	Frankford Arsenal		Of Interest To:
	Philadelphia 37, Pa.		Mr. Guy C. Throner, Chief
	Of Interest To:		Explosive Ordnance Section
	Mr. H. S. Lipinski		Dr. Louis Zernow
2	Commanding General	5	Carnegie Institute of Technology
	Ordnance Ammunition Command		Pittsburgh, Pennsylvania
	Joliet, Illinois Attn: ORDLY-AR-V		Attn: Dr. E. M. Pugh
	ORDLY-AR-AR	2	Firestone Tire and Rubber Co.
	Lt. J, F. Lefler	2	Akron 17, Ohio
	Mr. W. K. Jann		Of Interest To: Dr. E. W. Ford Dr. Hugh Winn
3	Commanding Officer		The state of the s
	Picatinny Arsenal	1	Michigan State College
	Dover, New Jersey		East Iansing, Michigan
	Attn: Samuel Feltman Ammunition Lebs.		Of Interest To; Mr. Philip J. Baker 409 Olds Hall
2	Commanding General	1	Stanford Research Institute
	Redstone Arsenal		Stanford, California
	Huntsville, Alabama Attn: Technical Library		Of Interest To: Dr. T. C. Poulter
	Mr. Wade Ewart	1	University of Utah Department of Physics, Bldg. 208
1	Commanding Officer		Salt Lake City, Utah
	Chemical Corps Chemical and Radiological Laboratories		Of Interest To: Dr. Melvin Cook
	Army Chemical Center, Maryla	and 1	University of Utah
			Department of Physics
2	Chief of Engineers		Salt Lake City, Utah
	Department of the Army		Of Interest To:
	Washington 25, D. C. Attn: ENGNF		Dr. Charles D. Hendricks
	Mine Warfare Branch	1	Dr. Harold E. Edgerton
			Massachusetts Institute of Technology Cambridge 39, Massachusetts